



## **Cameo: A Python Library for Computer Aided Metabolic Engineering and Optimization of Cell Factories**

**Cardoso, Joao G.R.; Jensen, Kristian; Lieven, Christian; Hansen, Anne Sofie Lærke; Galkina, Svetlana; Beber, Moritz; Özdemir, Emre; Herrgård, Markus J.; Redestig, Henning; Sonnenschein, Nikolaus**

*Published in:*  
A C S Synthetic Biology

*Link to article, DOI:*  
[10.1021/acssynbio.7b00423](https://doi.org/10.1021/acssynbio.7b00423)

*Publication date:*  
2018

*Document Version*  
Publisher's PDF, also known as Version of record

[Link back to DTU Orbit](#)

*Citation (APA):*  
Cardoso, J. G. R., Jensen, K., Lieven, C., Hansen, A. S. L., Galkina, S., Beber, M., Özdemir, E., Herrgård, M. J., Redestig, H., & Sonnenschein, N. (2018). Cameo: A Python Library for Computer Aided Metabolic Engineering and Optimization of Cell Factories. *A C S Synthetic Biology*, 7(4), 1163-1166.  
<https://doi.org/10.1021/acssynbio.7b00423>

---

### **General rights**

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the public portal

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.


# Cameo: A Python Library for Computer Aided Metabolic Engineering and Optimization of Cell Factories

João G. R. Cardoso, Kristian Jensen, Christian Lieven, Anne Sofie Lærke Hansen, Svetlana Galkina, Moritz Beber, Emre Özdemir, Markus J. Herrgård, Henning Redestig, and Nikolaus Sonnenschein\*

The Novo Nordisk Foundation Center for Biosustainability, Technical University of Denmark, 2800 Kgs. Lyngby, Denmark

**ABSTRACT:** Computational systems biology methods enable rational design of cell factories on a genome-scale and thus accelerate the engineering of cells for the production of valuable chemicals and proteins. Unfortunately, the majority of these methods' implementations are either not published, rely on proprietary software, or do not provide documented interfaces, which has precluded their mainstream adoption in the field. In this work we present cameo, a platform-independent software that enables *in silico* design of cell factories and targets both experienced modelers as well as users new to the field. It is written in Python and implements state-of-the-art methods for enumerating and prioritizing knockout, knock-in, overexpression, and down-regulation strategies and combinations thereof. Cameo is an open source software project and is freely available under the Apache License 2.0. A dedicated Web site including documentation, examples, and installation instructions can be found at <http://cameo.bio>. Users can also give cameo a try at <http://try.cameo.bio>.

**KEYWORDS:** metabolic engineering, genome-scale metabolic models, heterologous pathway predictions, computer-aided design, software, Python



The engineering of cells for the production of chemicals and proteins affects all areas of our modern lives. Beer, yogurt, flavoring, detergents, and insulin represent just a few products that are unimaginable without biotechnology. Engineered cells may further provide solutions to many of mankind's greatest challenges like global climate, multiple drug resistance, and overpopulation, by producing fuels, novel antibiotics, and food from renewable feedstocks. Manipulating cells to perform tasks that they did not evolve for, however, is challenging and requires significant investments and personnel in order to reach economically viable production of target molecules.<sup>1</sup>

A central task in developing biotechnological production processes is to reroute metabolic fluxes toward desired products in cells. This task is particularly prone to failure due to our limited understanding of the underlying biology and the complexity of the metabolic networks in even the simplest of organisms. In line with other recent technological advancements, like high-fidelity genome editing through CRISPR/Cas9<sup>2</sup> and DNA synthesis costs dropping,<sup>3</sup> modeling methods are increasingly used to accelerate cell factory engineering, helping to reduce development time and cost.<sup>4</sup>

Genome-scale models of metabolism (GEMs)<sup>5</sup> are of particular interest in this context as they predict phenotypic consequences of genetic and environmental perturbations affecting cellular metabolism.<sup>6</sup> These models have been developed throughout the past 15 years for the majority of potential cell factory host organisms ranging from bacteria to mammalian cells. A large repertoire of algorithms has been published that utilize GEMs to compute cell factory engineer-

ing strategies composed of overexpression, down-regulation, deletion, and addition of genes.<sup>7,8</sup> Unfortunately, most of these algorithms are not easily accessible to users as they have either been published without implementation (e.g., using pseudo code or mathematical equations to describe the method) or the implementation provided by the authors is undocumented or hard to install. These problems significantly limit the ability of metabolic engineers to utilize computational design tools as part of their workflow.

## RESULTS

Cameo is open source software written in Python that alleviates these problems and aims to make *in silico* cell factory design broadly accessible. On the one hand it enables cell factory engineers to enumerate and prioritize designs without having to be experts in metabolic modeling themselves. On the other hand it aims to become a comprehensive library of published methods by providing method developers with a library that simplifies the implementation of new cell factory design methods.

Cameo provides a high-level interface that can be used without knowing any metabolic modeling or how different algorithms are implemented (see Supplementary Notebook 8 [v0.11.4, current]). In fact, the most minimal form of input that cameo requires is simply the desired product, for example vanillin.

```
from cameo import api
```

**Received:** November 23, 2017

**Published:** March 20, 2018

```
api.design(product='vanillin')
```

This function call will run the workflow depicted in Figure 1. It is also possible to call the same functionality from the command line. First, it enumerates native and heterologous production pathways for a series of commonly used host organisms and carbon sources. Then it runs a whole suite of design algorithms available in cameo to generate a list of metabolic engineering strategies, which can then be ranked by different criteria (maximum theoretical yield, number of genetic modifications, etc.).

More advanced users can easily customize this workflow by providing models for other host organisms, changing parameters and algorithms, and of course by including their own methods.


In order to become a community project and attract further developers, cameo has been developed as a modular Python package that has been extensively documented and tested using modern software engineering practices like test-driven development and continuous integration/deployment on [travis-ci.org](https://travis-ci.org) (Figure 2 shows an overview of the package organization).

To avoid duplication of effort, cameo is based on the constraint-based modeling tool *cobrapy*<sup>13</sup> thus providing its users with already familiar objects and methods (see also Figure 2a). Furthermore, cameo takes advantage of other popular tools of the scientific Python stack, like for example Jupyter notebooks for providing an interactive modeling environment<sup>14</sup> and pandas for the representation, querying, and visualization of results.<sup>15</sup>

Accessing published GEMs can be a challenging task as they are often made available in formats that are not supported by existing modeling software.<sup>11</sup> Cameo provides programmatic access to collections of models (Figure 2b) hosted by BiGG<sup>16</sup> and the University of Minho [darwin.di.uminho.pt/models](http://darwin.di.uminho.pt/models). Furthermore, by relying on the common namespace for reaction and metabolite identifiers provided by the [MetaNetX.org](http://metanetx.org) project<sup>17</sup> that covers commonly used pathway databases like KEGG,<sup>18</sup> RHEA,<sup>19</sup> and BRENDA,<sup>20</sup> a universal reaction database can be used to predict heterologous pathways (see Supplementary Notebook 7 [v0.11.4, current]).


Most design algorithms rely on solving optimization problems. In order to speed up simulations and ease the formulation of optimization problems, cameo initially replaced the solver interfaces utilized in *cobrapy* with *optlang*,<sup>12</sup> a Python interface to commonly used optimization solvers and symbolic modeling language. By now, the new *optlang*-based solver interface has been moved into *cobrapy* where it replaced the previous solver interfaces. Cameo and *cobrapy* thus always maintain a one-to-one correspondence of the GEM and its underlying optimization problem, greatly facilitating debugging and efficient solving by enabling warm starts from previously found solutions.<sup>21</sup> Furthermore, being based on *sympy*,<sup>22</sup> *optlang* enables the formulation of complicated optimization problems using symbolic math expressions, making the implementation of published design methods straightforward.

Runtimes of design methods are usually on the order of seconds to minutes. Nevertheless, scanning large numbers of potential products, host organisms, and feedstocks, can quickly make computations challenging. As described above, cameo makes unit operations as fast as possible by implementing an efficient interface to the underlying optimization software. In addition, a number of methods in cameo can be parallelized, and can thus take advantage of multicore CPUs and HPC infrastructure if available (see documentation).



**Figure 1.** Cell factory design workflow with cameo. The first step is to import a metabolic model from a file or using a web service. Next, the user needs to select a target product. If the target product is a non-native chemical, shortest heterologous production pathways can be enumerated to determine a suitable route to the product.<sup>9</sup> Potential production pathways can then be compared using production envelopes, i.e., visualizations of the trade-off between production rate and organism growth rate (see Supplementary Notebook 4 [v0.11.4, current]). After a production pathway has been chosen, a number of different design methods are used to compute the genetic modifications (designs) necessary to achieve the production goal (see Supplementary Notebooks 5 [v0.11.4, current] and 6 [v0.11.4, current]). In the end, the computed designs can be sorted using different criteria relevant to the actual implementation in the lab and economic considerations such as the number of genetic modifications needed and maximum theoretical product yield. Furthermore, a number of results can be further visualized using the pathway visualization tool Escher.<sup>10</sup>

With this broad overview of capabilities, we would like to emphasize the role of cameo as a useful resource to the modeling community and wish to support its development as a



**Figure 2.** Package organization and functionality overview. The cameo package is organized into a number of subpackages: *core* extends cobrapy's own *core* package<sup>11</sup> to use optlang<sup>12</sup> as interface to a number of optimization solvers. *models* enables programmatic access to models hosted on the Internet. *parallel* provides tools for the parallelization of design methods. *visualization* provides a number of high-level visualization functions, e.g., production envelopes. *flux\_analysis* implements many basic simulation and analysis methods needed for higher-level design methods and the evaluation of production goals etc. *strain\_design* provides a collection of *in silico* design methods and is subdivided into methods that use deterministic and heuristic optimization approaches. At last, *api* provides a high-level interface for computing designs.

community effort in the long run. The majority of published strain design algorithms have not been experimentally validated<sup>8</sup> and we believe that their inaccessibility to users is a major factor for the lack of validation. With cameo we hope to counteract this problem by making these methods accessible to the entire metabolic engineering community and also providing a platform for modelers to implement and publish novel methods.

## CONCLUSIONS

With cameo version 0.11.4 we release a tool that is ready to be used in metabolic engineering projects. It is under active development, and future work will include interfacing cameo with genome-editing tools to streamline the translation of computed strain designs into laboratory protocols, modeling of fermentation processes to get estimates on titers and productivities, and include pathway predictions based on retrobiosynthesis including hypothetical biochemical conversions.<sup>23</sup>

## AUTHOR INFORMATION

### Corresponding Author

\*E-mail: [niso@biosustain.dtu.dk](mailto:niso@biosustain.dtu.dk).

### ORCID

Nikolaus Sonnenschein: 0000-0002-7581-4936

### Notes

The authors declare no competing financial interest.

## ACKNOWLEDGMENTS

We would like to thank Kai Zhuang, Miguel Campodonico and Sumesh Sukumura for providing valuable feedback and bug reports as early users of cameo. This project has received funding from the European Union's Horizon 2020 research and innovation programme under grant agreement No 686070.

Furthermore, we acknowledge financial support from the Novo Nordisk Foundation.

## REFERENCES

- (1) Lee, S. Y., and Kim, H. U. (2015) Systems strategies for developing industrial microbial strains. *Nat. Biotechnol.* 33, 1061–1072.
- (2) Sander, J. D., and Joung, J. K. (2014) CRISPR-Cas systems for editing, regulating and targeting genomes. *Nat. Biotechnol.* 32, 347–55.
- (3) Kosuri, S., and Church, G. M. (2014) Large-scale de novo DNA synthesis: technologies and applications. *Nat. Methods* 11, 499–507.
- (4) Meadows, A. L., et al. (2016) Rewriting yeast central carbon metabolism for industrial isoprenoid production. *Nature* 537, 1–16.
- (5) McCloskey, D., Palsson, B. O., and Feist, A. M. (2013) Basic and applied uses of genome-scale metabolic network reconstructions of *Escherichia coli*. *Mol. Syst. Biol.* 9, 661.
- (6) O'Brien, E. J., Monk, J. M., and Palsson, B. O. (2015) Using genome-scale models to predict biological capabilities. *Cell* 161, 971–987.
- (7) Maia, P., Rocha, M., and Rocha, I. (2016) In Silico Constraint-Based Strain Optimization Methods: the Quest for Optimal Cell Factories. *Microbiol. Mol. Biol. Rev.* 80, 45–67.
- (8) Machado, D., and Herrgård, M. J. (2015) Co-evolution of strain design methods based on flux balance and elementary mode analysis. *Metab. Eng. Comm.* 2, 85–92.
- (9) Pharkya, P., Burgard, A. P., and Maranas, C. D. (2004) OptStrain: A computational framework for redesign of microbial production systems. *Genome Res.* 14, 2367–2376.
- (10) King, Z. A., Dräger, A., Ebrahim, A., Sonnenschein, N., Lewis, N. E., and Palsson, B. O. (2015) Escher: A Web Application for Building, Sharing, and Embedding Data-Rich Visualizations of Biological Pathways. *PLoS Comput. Biol.* 11, e1004321.
- (11) Ebrahim, A., et al. (2015) Do genome-scale models need exact solvers or clearer standards? *Mol. Syst. Biol.* 11, 831–831.
- (12) Jensen, K., Cardoso, J. G., and Sonnenschein, N. (2017) Optlang: An algebraic modeling language for mathematical optimization. *J. Open Source Softw.* 2, 139.

- (13) Ebrahim, A., Lerman, J., Palsson, B., and Hyduke, D. (2013) COBRApy: COntstraints-Based Reconstruction and Analysis for Python. *BMC Syst. Biol.* 7, 74.
- (14) Pérez, F., and Granger, B. E. (2007) IPython: a System for Interactive Scientific Computing. *Comput. Sci. Eng.* 9, 21–29.
- (15) McKinney, W. (2010) Data Structures for Statistical Computing in Python. *Proceedings of the 9th Python in Science Conference*, pp 51–56.
- (16) King, Z. A., Lu, J., Dräger, A., Miller, P., Federowicz, S., Lerman, J. A., Ebrahim, A., Palsson, B. O., and Lewis, N. E. (2016) BiGG Models: A platform for integrating, standardizing and sharing genome-scale models. *Nucleic Acids Res.* 44, D515–D522.
- (17) Bernard, T., Bridge, A., Morgat, A., Moretti, S., Xenarios, I., and Pagni, M. (2014) Reconciliation of metabolites and biochemical reactions for metabolic networks. *Briefings Bioinf.* 15, 123–135.
- (18) Kanehisa, M., Sato, Y., Kawashima, M., Furumichi, M., and Tanabe, M. (2016) KEGG as a reference resource for gene and protein annotation. *Nucleic Acids Res.* 44, D457–D462.
- (19) Morgat, A., Axelsen, K. B., Lombardot, T., Alcántara, R., Aimo, L., Zerara, M., Niknejad, A., Belda, E., Hyka-Nouspikel, N., Coudert, E., Redaschi, N., Bougueleret, L., Steinbeck, C., Xenarios, I., and Bridge, A. (2015) Updates in Rhea-a manually curated resource of biochemical reactions. *Nucleic Acids Res.* 43, D459–D464.
- (20) Chang, A., Schomburg, I., Placzek, S., Jeske, L., Ulbrich, M., Xiao, M., Sensen, C. W., and Schomburg, D. (2015) BRENDA in 2015: Exciting developments in its 25th year of existence. *Nucleic Acids Res.* 43, D439–D446.
- (21) Gelius-Dietrich, G., Desouki, A. A., Fritzemeier, C. J., and Lercher, M. J. (2013) Sybil—efficient constraint-based modelling in R. *BMC Syst. Biol.* 7, 125.
- (22) SymPy Development Team (2016) *SymPy: Python Library for Symbolic Mathematics*.
- (23) Campodonico, M. A., Andrews, B. A., Asenjo, J. A., Palsson, B. O., and Feist, A. M. (2014) Generation of an atlas for commodity chemical production in *Escherichia coli* and a novel pathway prediction algorithm, GEM-Path. *Metab. Eng.* 25, 140–158.